



SEQUENCE LISTING

<110> Meloan, Robert H
Oonk, Hendrica B

<120> PEPTIDE, IMMUNOGENIC COMPOSITION AND VACCINE OR
MEDICAL PREPARATION, A METHOD TO IMMUNISE ANIMALS
AGAINST THE HORMONE LHRH, AND ANALOGS OF THE LHRH
TANDEM REPEAT PEPTIDE AND THEIR USE AS VACCINE

<130> 3516.2US

<140> US 09/876,257

<141> 2001-06-06

<160> 7

<170> PatentIn version 3.1

<210> 1

<211> 10

<212> PRT

<213> Unknown

<220>

<223> Luteinising Hormone Releasing Hormone (LHRH) from the
hypothalamus of an undisclosed mammal.

<220>

<221> misc feature

<222> (1)..(1)

<223> X at position 1 = pyroglutamic acid

<220>

<221> misc feature

<222> (10)..(10)

<223> X at position 10 = glycine amide

<400> 1

Xaa His Trp Ser Tyr Gly Leu Arg Pro Xaa
1 5 10

<210> 2

<211> 20

<212> PRT

<213> Artificial Sequence

RECEIVED
JUN 12 2003
TECH CENTER 1601/1600

Okayed to
enter
JCN
6-3-2003

<220>

<223> Vaccine against LHRH from the hypothalamus of an undisclosed mammal.

<220>

<221> misc feature

<222> (1)..(1)

<223> X at position 1 = preferably pyroglutamic acid, but can also be glutamine having attached thereto a tail comprising one or more additional amino acids

<220>

<221> misc feature

<222> (3)..(3)

<223> X at position 3 = tryptophan or formylated tryptophan

<220>

<221> misc feature

<222> (10)..(11)

<223> The bond between amino acids 10 and 11 could comprise a direct peptide bond between 10 and 11 or a spacer consisting of one or more amino acids, a shorter or longer hydrocarbon chain, or compound groups or molecules

<220>

<221> misc feature

<222> (13)..(13)

<223> X at position 13 = tryptophan or formylated tryptophan

<220>

<221> misc feature

<222> (10)..(19)

<223> The sequence comprising residues 10-19 may be repeated.

<220>

<221> misc feature

<222> (20)..(20)

<223> X at position 20 = either nothing or a tail comprising an additional amino acid; preferably Cys, the C terminal cysteine being added in connection with a possible coupling of the peptide to a carrier protein.

<400> 2

Xaa	His	Xaa	Ser	Tyr	Gly	Leu	Arg	Pro	Gly	Gln	His	Xaa	Ser	Tyr	Gly
1			5				10						15		

Leu Arg Pro Xaa
20

<210> 3
<211> 21
<212> PRT
<213> Artificial Sequence

<220>
<223> Vaccine against LHRH from the
hypothalamus of an undisclosed mammal.

<220>
<221> misc feature
<222> (1)..(1)
<223> X at position 1 = pyroglutamic acid

<220>
<221> misc feature
<222> (3)..(3)
<223> X at position 3 = tryptophan or N-formyl-Trp

<220>
<221> misc feature
<222> (13)..(13)
<223> X at position 13 = tryptophan or N-formyl-Trp

<220>
<221> misc feature
<222> (10)..(19)
<223> The sequence comprising residues 10-19 may be repeated.

<400> 3

Xaa His Xaa Ser Tyr Gly Leu Arg Pro Gly Gln His Xaa Ser Tyr Gly
1 5 10 15

Leu Arg Pro Gly Cys
20

<210> 4
<211> 21
<212> PRT

<213> Artificial Sequence

<220>

<223> Vaccine against LHRH from the
hypothalamus of an undisclosed mammal.

<220>

<221> misc feature

<222> (1)..(1)

<223> X at position 1 = pyroglutamic acid

<220>

<221> misc feature

<222> (6)..(6)

<223> X at position 6 = a possible replacement of glycine
by a dextrorotatory amino acid which in addition contains a side chain by which
the LHRH tandem unit can be coupled to a carrier compound.

<220>

<221> misc feature

<222> (16)..(16)

<223> X at position 16 = a possible replacement of
glycine by a dextrorotatory amino acid which in addition contains a side chain by which
the LHRH tandem unit can be coupled to a carrier compound.

<400> 4

Xaa His Trp Ser Tyr Xaa Leu Arg Pro Gly Gln His Trp Ser Tyr Xaa
1 5 10 15

Leu Arg Pro Gly Cys
20

<210> 5

<211> 11

<212> PRT

<213> Artificial Sequence

<220>

<223> Vaccine against LHRH from the
hypothalamus of an undisclosed mammal.

<220>

<221> misc feature

<222> (1)..(1)

<223> X at position 1 = pyroglutamic acid

<220>

<221> misc feature

<222> (6)..(6)

<223> X at position 6 = Gly or a dextrorotatory amino acid containing a side chain that allows coupling to a carrier compound.

<400> 5

Xaa His Trp Ser Tyr Xaa Leu Arg Pro Gly Cys

1 5 10

<210> 6

<211> 21

<212> PRT

<213> Artificial Sequence

<220>

<223> Vaccine against LHRH from the hypothalamus of an undisclosed mammal.

<220>

<221> misc feature

<222> (21)..(21)

<223> X at position 21 = glycine amide

<220>

<221> misc feature

<222> (1)..(21)

<223> The initial cysteine of the peptide comprising residues 1-21 is joined to the initial cysteine of an identical peptide (residues 22-42) to form a dimer.

<400> 6

Cys Gln His Trp Ser Tyr Gly Leu Arg Pro Gly Gln His Trp Ser Tyr

1 5 10 15

Gly Leu Arg Pro Xaa

20

<213> Artificial Sequence

<223> Vaccine against LHRH from the hypothalamus of an undisclosed mammal.

<223> X at position 7 = a possible replacement of glycine by a dextrorotatory amino acid which in addition contains a side chain by which the LHRH tandem unit can be coupled to a carrier compound.

<223> X at position 17 = a possible replacement of glycine by a dextrorotatory amino acid which in addition contains a side chain by which the LHRH tandem unit can be coupled to a carrier compound.

<223> The initial cysteine of the peptide comprising residues 1-22 is joined to the initial cysteine of an identical peptide (residues 1-44) to form a dimer.

Cys Gln His Trp Ser Tyr Xaa Leu Arg Pro Gly Gln His Trp Ser Tyr
1 5 10 15

Xaa Leu Arg Pro Gly Cys
20